

General ordering data	
Order No.	1688110000
Part designation	ZTA 4
Version	Modular terminal, accessories, Test adapter
EAN	4008190855666
Qty.	25 pc(s).

Product notes

Product description The clip-or

The clip-on test adapter ZTA is used as a single thin element and as a test adapter strip for measurements in electrical cabinets. Conductors with cross-sections from 0.5 mm² to 1.5 mm² can be connected. The test adapter simply clips onto the terminal and thus guarantees reliable contact with the live busbar.

Additional technical data

Installation advice Direct mounting

Conductors for clamping (rated connection)	
Clamping range, min.	0.5 mm ²
Clamping range, max.	1.5 mm²
Type of connection	Plug-in connection
Stripping length	10 mm
Solid, min.	0.5 mm
Solid, max.	1.5 mm

Flexible, min.	0.5 mm
Flexible, max.	1.5 mm
Flexible with ferrule, min. (DIN 46228/1)	0.5 mm
Flexible with ferrule, max. (DIN 46228/1)	1.5 mm

Width	5.1 mm
Height of lowest version	69 mm
Length	31 mm



Dimensions		
Rating data		
Rated cross-section	1.5 mm²	
Rated current	11 A	
Test adapter		
Function	Test adapter	
With snap-in pegs	Yes	
Test adapter dimensions		
Height with TS 35	69 mm	
With snap-in pegs	Yes	
Test adapter rated data		
Rated voltage	250 V	
Approvals		
Approvals institutes	P	
	ME25	
Classifications		
eClass 4.1	NK	
eClass 5.0	NK	
eClass 5.1	NK	
Similar products		